

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Elektrolyt AE 20

Material number 22.020

Revision date: 21 12 2022 Version: 3.1 Replaces version: 3.0 Language: en-DF Date of print: 21.12.2022 1 of 8 Page

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name:

LIEI

VQ00-7098-E00Q-4X2W

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Electrolytic/electrochemical metal marking for chem. Nickel.

1.3 Details of the supplier of the safety data sheet

Elektrolyt AE 20

Company name:	Schilling Marking Systems GmbH	
Street/POB-No .:	In Grubenäcker 1	
Postal Code, city:	DE-78532 Tuttlingen	
WWW:	www.schilling-marking.de	
E-mail:	info@schilling-marking.de	
Telephone:	+49 (0)7461 9472-0	
Telefax:	+49 (0)7461 9472-28	
Department responsible for information:		

Frau Bianca Schilling, Telephone: +49 (0)7461 9472-0 Email: info@schilling-marking.de

1.4 Emergency telephone number

GIZ-Nord, Germany Telephone: +49 (0)551-19240

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Skin Irrit. 2; H315 Causes skin irritation. Eye Dam. 1; H318 Causes serious eye damage.

2.2 Label elements

Labelling (CLP)



Text for labelling:

Contains Sodium etasulfate, Lactic acid.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Elektrolyt AE 20 Material number 22.020

20

2.3 Other hazards

Electrolytic vapours may form during the electrochemical process. May be harmful if inhaled. A corrosive effect cannot be ruled out because of the pH value. Special danger of slipping by leaking/spilling product. Endocrine disrupting properties, Results of PBT and vPvB assessment: No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of water/mineral salt and complexing agent

Hazardous	ingredients:

Identifiers	Designation Classification	Content
EC No. 204-812-8	Sodium etasulfate < 5 %	
CAS 126-92-1	Skin Irrit. 2; H315. Eye Dam. 1; H318. Specific concentration limits (SCL): Eye Dam. 1; H318: C ≥ 20 % / Eye Irrit. 2; H319: 10 % ≤ C < 20 %	
EC No. 201-196-2 CAS 79-33-4	Lactic acid < 5 % Skin Corr. 1C; H314. Eye Dam. 1; H318. (EUH071).	

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

4.1 Description	
General information:	First aider: Pay attention to self-protection! If medical advice is needed, have product container or label at hand. Take off immediately all contaminated clothing and wash it before reuse.
In case of inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Seek the attention of an ophthalmologist immediately.
After swallowing:	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

Causes skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Elektrolyt AE 20

Material number 22.020

Revision date: 21 12 2022 Version: 3.1 3.0 Replaces version: en-DF Language: Date of print: 21.12.2022 3 of 8 Page

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Product is non-combustible. Extinguishing materials should therefore be selected according to surroundinas.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

In the event of a fire, the following may be produced when the water evaporates: sodium compounds, Carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing. Additional information Use fine water spray to cool endangered containers. Do not allow water used to extinguish fire to enter drains, ground or waterways. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Avoid contact with the substance. If possible, eliminate leakage. Provide adequate ventilation. Wear appropriate protective equipment. Take off immediately all contaminated clothing and wash it before reuse. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal. Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse. Work place should be equipped with a shower and an eye rinsing apparatus.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed and in a well-ventilated place.

Keep container dry. Keep only in the original container.

Protect from heat and direct sunlight.

Store containers in upright position.

Store at room temperature.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Elektrolyt AE 20

Material number 22.020

Revision date:	21.12.2022
Version:	3.1
Replaces vers	ion: 3.0
Language:	en-DE
Date of print:	21.12.2022
_	
Page:	4 of 8

storage:Keep away from food, drink and animal feedingstuffs.Do not store together with: Strong acids and alkalis.Do not mix with other chemicals.

Storage class: 12 = Non-combustible liquids

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Provide for good ventilation or exhaust system or work with completely self-contained equipment.

Personal protection equipment

Occupational exposure controls

Respiratory protection:	In case of inadequate ventilation wear respiratory protection. If vapours form, use respiratory protection. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. Recommendation Combination filter/Use filter type A-P2 according to EN 14387.
Hand protection:	Protective gloves according to EN 374. Glove material: Nitrile rubber Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Eye protection:	Tightly sealed goggles according to EN 166.
Body protection:	Wear suitable protective clothing.
General protection and hygier	ne measures:
	Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing.
	Take off immediately all contaminated clothing and wash it before reuse.
	Do not eat, drink or smoke when using this product.
	Wash hands thoroughly after handling.
	Work place should be equipped with a shower and an eye rinsing apparatus.

Environmental exposure controls

Do not allow to enter into ground-water, surface water or drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa Colour:	liquid Colourless
Odour: Odour threshold: Melting point/freezing point: Initial boiling point and boiling range: Flammability: Upper/lower flammability or explosive limits:	Characteristic No data available No data available No data available No data available No data available
Flash point/flash point range:	Not combustible
Decomposition temperature:	No data available
pH:	1,2 - 2,0
Viscosity, kinematic:	No data available



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Elektrolyt AE 20

Material number 22.020

Water solubility:	at 20 °C: Completely miscible
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	No data available
Vapour density:	No data available
Particle characteristics:	Not applicable
9.2 Other information	
Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to subsection "Possilbility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames. Protect from direct sunlight.

10.5 Incompatible materials

Strong acids and alkalis.

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.Thermal decomposition:No data available

with Qualisys SUMDAT

Revision date:	21.12.2022
Version:	3.1
Replaces vers	ion: 3.0
Language:	en-DE
Date of print:	21.12.2022
Page:	5 of 8



Aarking Systems Gmbh

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Elektrolyt AE 20

Material number 22.020

Revision date:21.12.2022Version:3.1Replaces version:3.0Language:en-DEDate of print:21.12.2022Page:6 of 8

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

Acute toxicity (oral): Lack of data. Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Skin Irrit. 2; H315 = Causes skin irritation.

Serious eye damage/irritation: Eye Dam. 1; H318 = Causes serious eye damage.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

11.2 Information on other hazards

Endocrine disrupting properties: No data available

Symptoms

In case of inhalation: Electrolytic vapours may form during the electrochemical process. May be harmful if inhaled.

After contact with skin: A corrosive effect cannot be ruled out because of the pH value. After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful effects by modification of pH-value.

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture; calculation rule).)

12.2 Persistence and degradability

Further details:

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information:

ion: Do not allow to enter undiluted resp. in large quantities into surface water or into drains.



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Elektrolyt AE 20

Material number 22.020

Revision date: 21.12.2022 Version: 3.1 Replaces version: 3.0 Language: en-DF Date of print: 21.12.2022 Page:

13.1 Waste treatment methods

Product

Waste key number:	11 01 98* = other wastes containing hazardous substances	
	* = Evidence for disposal must be provided.	
Recommendation:	Dispose of waste according to applicable legislation.	
	Do not dispose of with household waste.	

Package

Waste key number:	15 01 02 =	Plastic packaging
Recommendation:	Dispose of waste according to applicable legislation.	
	Handle conta	minated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

no

14.5 Environmental hazards

Dangerous for the environment: Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG:

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class:	12 = Non-combustible liquids
Water Hazard Class:	1 = slightly hazardous to water (Self-classification (mixture; calculation rule).)
Technical guidance air:	5.2.2
Information on working limitations:	
	Observe employment restrictions for young people.
Further regulations, limitations and legal requirements:	
	No data available



according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Elektrolyt AE 20

Material number 22.020

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 3, 75

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases und	ler paragraph 2 and 3.
wording of the ri-prilases and	H314 = Causes severe skin burns and eye damage.
	H315 = Causes skin irritation.
	H318 = Causes serious eye damage.
	EUH071 = Corrosive to the respiratory tract.
Reason of change:	Korrektur nach FG NW #
	[ÄnderungAllgemein]
Date of first version:	31.1.2018
Department issuing data shee	t see section 1: Department responsible for information
Abbreviations and acronyms:	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
	AS/NZS: Australian Standards/New Zealand Standards CAS: Chemical Abstracts Service
	CR: Code of Federal Regulations
	CLP: Classification, Labelling and Packaging
	DMEL: Derived minimal effect level
	DNEL: Derived no-effect level
	EC: European Community
	EN: European Standard
	EQ: Excepted quantities
	EU: European Union
	Eye Dam.: Eye damage Eye Irrit.: Eye irritation
	Lye interventional Air Transport Association
	IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
	IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
	IMDG Code: International Maritime Dangerous Goods Code
	MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
	OSHA: Occupational Safety and Health Administration
	PBT: Persistent, bioaccumulative and toxic
	PNEC: Predicted no-effect concentration
	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail Skin Corr.: Skin corrosion
	Skin Lorr.: Skin forrosion Skin Irrit. Skin irritation
	Skiin Innu. Skiil Innuluun TRGS: Technical Rules for Hazardous Substances
	VPOB: Very persistent and very bioaccumulative
The information in this data sh	neet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product has been established to our best knowledge and was up-to-date at time of revision.

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.