

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Elektrolyte AE 26

UFI: NT10-T08E-E005-QCNR

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Electrolytic/electrochemical metal marking. For Carbide, black-oxide parts and electro-chem (acid) cleaning.

1.3 Details of the supplier of the safety data sheet

Company name: Schilling Marking Systems GmbH

Street/POB-No.: In Grubenäcker 1

Postal Code, city: DE-78532 Tuttlingen

WWW: www.schilling-marking.de

E-mail: info@schilling-marking.de

Telephone: +49 (0)7461 9472-0

Telefax: +49 (0)7461 9472-28

Department responsible for information:

Frau Bianca Schilling,

Telephone: +49 (0)7461 9472-0

Email: info@schilling-marking.de

1.4 Emergency telephone number

GIZ-Nord, Germany Telephone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Met. Corr. 1; H290 May be corrosive to metals.

2.2 Label elements

Labelling (CLP)



Signal word:

Warning

Hazard statements:

H290

May be corrosive to metals.

Precautionary statements:

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P234

Keep only in original packaging.

P390

Absorb spillage to prevent material damage.

P406

Store only in corrosive resistant containers.

Special labelling

Text for labelling:

Labelling for contents according to regulation (EC) No 648/2004, annex VII:
Contains less than 5% anionic surfactant.

2.3 Other hazards

Eye contact: May cause irritations.

A corrosive effect cannot be ruled out because of the pH value.

Cleaning work: Product may release corrosive gases/vapours. Eye contact: May cause irritations.

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: A mixture of water, mineral acids and complexing agent

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No. 231-633-2 CAS 7664-38-2	Phosphoric acid Met. Corr. 1; H290. Skin Corr. 1B; H314. Specific concentration limits (SCL): Skin Corr. 1B; H314: $C \geq 25\%$ / Skin Irrit. 2; H315: $10\% \leq C < 25\%$ / Eye Irrit. 2; H319: $10\% \leq C < 25\%$	< 10 %

Full text of H- and EUH-statements: see section 16.

Additional information: Labelling for contents according to regulation (EC) No 648/2004, annex VII: Contains less than 5% anionic surfactant.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take off immediately all contaminated clothing and wash it before reuse.
If medical advice is needed, have product container or label at hand.

In case of inhalation: Provide fresh air. Seek medical treatment in case of troubles.

Following skin contact: Immediately clean with water and soap and, if available, apply a generous amount of polyethylene glycol 400. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

A corrosive effect cannot be ruled out because of the pH value.

After eye contact: The product can cause irritation of the eyes.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

5.2 Special hazards arising from the substance or mixture

On heating or in case of fire toxic gases may form.

In the event of a fire, the following may be produced when the water evaporates: Phosphorus oxides.

Hydrogen may form upon contact with metals (danger of explosion!).

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Use water spray jet to knock down vapours.

Do not allow fire water to penetrate into surface or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid breathing vapours/spray.

Avoid contact with the substance. If possible, eliminate leakage. Wear appropriate protective equipment.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Absorb spillage to prevent material damage. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Use soda or another alkaline detergent for removal of residues.

Never return spills in original containers for re-use.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Avoid breathing vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Take off immediately all contaminated clothing and wash it before reuse.

Work place should be equipped with a shower and an eye rinsing apparatus.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store containers tightly closed in a cool, dry, well ventilated area at temperatures not below 0°C °C.

Protect from frost.

Unsuitable materials: metal.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.

Do not store together with: Alkalis, metallic oxides, iron, steel, aluminium, ferruginous compounds

Storage class:

12 = Non-combustible liquids

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
7664-38-2	Phosphoric acid	Europe: IOELV: STEL	2 mg/m ³
		Europe: IOELV: TWA	1 mg/m ³
		Germany: TRGS 900 Kurzzeit	4 mg/m ³ (inhalable fraction)
		Germany: TRGS 900 Langzeit	2 mg/m ³ (inhalable fraction)

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn whenever the WEL levels have been exceeded. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Recommendation: Combination filtering device (EN 14387), filter type B-P2.

Hand protection: Protective gloves according to EN 374.
Glove material: Nitrile rubber-Layer thickness: $\geq 0,35$ mm
Possible alternatives: natural rubber, butyl caoutchouc (butyl rubber), fluoro rubber.
Breakthrough time: > 480 min.
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Avoid breathing vapours/spray. Do not get in eyes, on skin, or on clothing.
Take off immediately all contaminated clothing and wash it before reuse.
Do not eat, drink or smoke when using this product.
Wash hands thoroughly after handling.
Work place should be equipped with a shower and an eye rinsing apparatus.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	liquid
Colour:	colourless, clear
Odour:	characteristic
Odour threshold:	No data available
Melting point/freezing point:	approx. 0 °C
Initial boiling point and boiling range:	approx. 100 °C
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	not combustible
Decomposition temperature:	No data available
pH:	at 20 °C: 1,6
Viscosity, kinematic:	No data available

Water solubility:	at 20 °C: infinitely soluble
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	No data available
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

May be corrosive to metals.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hydrogen may form upon contact with metals (danger of explosion!).

10.4 Conditions to avoid

Protect from excessive heat. Protect from frost.

10.5 Incompatible materials

Alkalis, metallic oxides, iron, steel, aluminium, ferruginous compounds.

10.6 Hazardous decomposition products

No decomposition when used properly.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

11.2 Information on other hazards

Endocrine disrupting properties: No data available

Other information: Information about Phosphoric acid (CAS No.: 7664-38-2):
LD50 Rat oral (approx.): 2.600 mg/kg/bw
LD50 Rabbit dermal: 2.740 mg/kg/bw

Symptoms

A corrosive effect cannot be ruled out because of the pH value.
After eye contact: The product can cause irritation of the eyes.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful effects on water organisms by modification of pH-value.

Information about Phosphoric acid:
Forms corrosive mixtures with water even if diluted.
Fish toxicity: LC50 Gambusia affinis: 138 mg/L/96 h.

Water Hazard Class: 1 = slightly hazardous to water

12.2 Persistence and degradability

Further details: The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

AOX reference: Product does not contain organically bound halogen (AOX).

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Waste key number: 11 01 06* = Wastes from chemical surface treatment and coating of metals and other materials: acids not otherwise specified

* = Evidence for disposal must be provided.

Recommendation: Special waste. Dispose of waste according to applicable legislation.

Package

Waste key number: 15 01 02 = Plastic packaging

Recommendation: Dispose of waste according to applicable legislation.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**14.1 UN number or ID number**

ADR/RID, ADN, IMDG, IATA-DGR:

UN 1805

14.2 UN proper shipping name

ADR/RID, ADN, IATA-DGR: UN 1805, PHOSPHORIC ACID, SOLUTION

IMDG: UN 1805, PHOSPHORIC ACID SOLUTION

14.3 Transport hazard class(es)

ADR/RID, ADN: Class 8, Code: C1

IMDG: Class 8, Subrisk -

IATA-DGR: Class 8

14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

III

14.5 Environmental hazards

Dangerous for the environment: Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no



14.6 Special precautions for user

Land transport (ADR/RID)

Warning board:	ADR/RID: Kemmler-number 80, UN number UN 1805
Hazard label:	8
Limited quantities:	5 L
EQ:	E1
Package - Instructions:	P001 IBC03 LP01 R001
Special provisions for packing together:	MP19
Portable tanks - Instructions:	T4
Portable tanks - Special Provisions:	TP1
Tank coding:	L4BN
Tunnel restriction code:	E

Inland waterway craft (ADN)

Hazard label:	8
Limited quantities:	5 L
EQ:	E1
Transport permitted:	T
Equipment necessary:	PP - EP

Sea transport (IMDG)

EmS:	F-A, S-B
Special Provisions:	223
Limited quantities:	5 L
Excepted quantities:	E1
Package - Instructions:	P001, LP01
Package - Provisions:	-
IBC - Instructions:	IBC03
IBC - Provisions:	-
Tank instructions - IMO:	-
Tank instructions - UN:	T4
Tank instructions - Provisions:	TP1
Stowage and handling:	Category A. SG36 SG49
Properties and observations:	Miscible in water. Mildly corrosive to most metals.
Segregation group:	1

Air transport (IATA)

Hazard label:	Corrosive
Excepted Quantity Code:	E1
Passenger and Cargo Aircraft: Ltd.Qty.:	Pack.Instr. Y841 - Max. Net Qty/Pkg. 1 L
Passenger and Cargo Aircraft:	Pack.Instr. 852 - Max. Net Qty/Pkg. 5 L
Cargo Aircraft only:	Pack.Instr. 856 - Max. Net Qty/Pkg. 60 L
Special Provisions:	A3 A803
Emergency Response Guide-Code (ERG):	8L

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Germany

Storage class:	12 = Non-combustible liquids
Water Hazard Class:	1 = slightly hazardous to water
Information on working limitations:	Observe employment restrictions for young people.

Further regulations, limitations and legal requirements:

No data available

National regulations - EC member states

Further regulations, limitations and legal requirements:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H290 = May be corrosive to metals.

H314 = Causes severe skin burns and eye damage.

Reason of change: General revision

Date of first version: 28.7.2008

Department issuing data sheet: see section 1: Department responsible for information

Abbreviations and acronyms:

- ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- AOX: Adsorbable Organic Halogens
- AS/NZS: Australian Standards/New Zealand Standards
- CAS: Chemical Abstracts Service
- CFR: Code of Federal Regulations
- CLP: Classification, Labelling and Packaging
- DMEL: Derived minimal effect level
- DNEL: Derived no-effect level
- EC: European Community
- EN: European Standard
- EQ: Excepted quantities
- EU: European Union
- IATA: International Air Transport Association
- IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
- IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
- IMDG Code: International Maritime Dangerous Goods Code
- LC50: Median lethal concentration
- LD50: Lethal dose 50%
- MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
- Met. Corr.: Corrosive to metals
- OEL: Occupational Exposure Limit Value
- OSHA: Occupational Safety and Health Administration
- PBT: Persistent, bioaccumulative and toxic
- PNEC: Predicted no-effect concentration
- RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
- Skin Corr.: Skin corrosion
- TLV: Threshold Limit Value
- TRGS: Technical Rules for Hazardous Substances
- UN: United Nations
- vPvB: Very persistent and very bioaccumulative
- WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.